


CLAIMS

1. A polyester elastomer composition comprising
(A) a polyester elastomer, (B) an epoxy compound having
5 at least one epoxy group in the molecule thereof, and (C)
a polycarbodiimide compound having at least two carbodiimido
groups in the molecule thereof, wherein each of two carbon
atoms both adjacent to each carbodiimido group has at least
one group among (i) an alkyl group having 1 to 4 carbon
10 atom(s) and (ii) a substituent exhibiting an electronic
effect of lowering reaction rate, and wherein the amounts
of the epoxy compound (B) and the polycarbodiimide compound
(C) are 0.01 to 10 parts by weight and 0.01 to 10 parts
by weight, respectively, relative to 100 parts by weight
15 of the polyester elastomer (A).

2. A polyester elastomer composition according to
claim 1, wherein the polyester elastomer (A) contains a
crystalline aromatic polyester as a hard segment and at
least one species selected from the group consisting of
20 an aliphatic polyester, an aliphatic polyether, and an
aliphatic polycarbonate as a soft segment.

3. A polyester elastomer composition according to
claim 2, wherein the aliphatic polyester as the soft segment
comprises a polycarprolactone component.

25 4. A polyester elastomer composition according to
claim 1, wherein the polycarbodiimide compound (C) is a
compound represented by the following formula:



wherein R represents a hydrogen atom, an alkyl group having 1 to 4 carbon atom(s), or a substituent exhibiting an electronic effect of lowering reaction rate; two Rs linking to a certain carbon atom may be the same or different from each other, provided that the two Rs are not coincidentally hydrogen atoms; n is an integer of not less than 2.